## The University of KwaZulu-Natal (UKZN) is committed to Employment Equity. For this post, Applications are invited from Designated Africans

## COLLEGE OF AGRICULTURE, ENGINEERING AND SCIENCE

TECHNICIAN (PHYSICS)
(PEROMNES GRADE 10)
SCHOOL OF CHEMISTRY AND PHYSICS
WESTVILLE CAMPUS

**REFERENCE NO: CP20/2014** 

The successful incumbent will supervise, run physics laboratories and will also be responsible for planning, scheduling, preparing and setting up of material and equipment for practicals run in the Physics laboratories. S/he will also be expected to undertake administrative duties associated with the operation of the senior and first year labs; ensuring the safe and proper use of laboratory facilities, the equipment therein and ensure that all apparatus and equipment are fit for purpose, including subsequent first line maintenance. S/he will supervise and ensure proper housekeeping of the facilities and other equipment and direct and supervise the functioning of junior staff and students. S/he will also control and supervise the movement and loan of teaching resources and laboratory equipment.

The incumbent will report to the Principal Technician.

## MINIMUM REQUIREMENTS

- A relevant three year tertiary qualification in physics
- Three years' relevant work experience in a physics laboratory

## Shortlisted candidates may be required to undergo a skills test.

Enquiries and details regarding this post, as well as the request for the job profile may be directed to Mrs Anita Naidoo, 031 260 1095 or email: Naidoot3@ukzn.ac.za

Appointment to this post will be on the January 2012 Conditions of Service.

The total remuneration package offered includes benefits.

The closing date for receipt of applications is 31 October 2014.

Applicants are required to complete the relevant application form which is available on the Vacancies website at <a href="www.ukzn.ac.za">www.ukzn.ac.za</a>. Completed forms may be sent to Recruitment-aes@ukzn.ac.za

Advert Reference Number MUST be clearly stated in the subject line.